

IPPTD-EL1IRE-W

1MP Wifi Pan Tilt Dome Network IP Camera

- Wi-Fi support
- Max 30fps@720P
- 3.6mm fixed lens
- Built-in Mic & Speaker



Megapixels:	1MP
Image Resolutions:	720P (1280x720) / D1 (704x576/704x480)
Image Sensor:	1/4" Progressive scan CMOS
Min Illumination:	0.01lux/F1.8?color)
LEDs:	N/A
IR Distance:	30 feet
OSD:	N/A
Protocol:	IPv4/IPv6, HTTP, TCP/IP, UDP, UPnP, ICMP, IGMP, RTSP, RTP, SMTP, NTP
Operating Temperature	+14°F to +113°F Less than 95%RH
Dimension:	4in x 4in x 4in
Power:	DC 5V2A
Pan Rotation:	0°~355°
Tilt:	0°~90°
Touring:	8

IPPTD-EL1IRE-W

Technical Specifications

Model		IPPTD-EL1IRE-W
Camera		
Image Sensor		1/4" Progressive scan CMOS
Effective Pixels		1280(H)x720(V)
Scanning System		Progressive
Electronic Shutter Speed		Auto/Manual, 1/3s~1/30000s
Min. Illumination		0.01lux/F1.8 (color)
S/N Ratio		More than 50dB
Video Output		N/A
Camera Features		
Max. LEDs Length		10m
Day/Night		Auto(ICR) / Color / B/W
Backlight Compensation		BLC / HLC / DWDR
White Balance		Auto/Manual
Gain Control		Auto/Manual
Noise Reduction		3D
Lens		
Focal Length		3.6mm
Max Aperture		F1.8
Focus Control		Manual
Angle of View		H:62°
Lens Type		Fixed Lens
Mount Type		Board-in Type
PT		
Pan/ Tilt Range		Pan: 0°~355°; Tilt: 0°~90°
Preset Speed		100°/s
Preset		25
Tour		8
Video		
Compression		H.264/H.264B/MJPEG
Resolution		720P(1280x720)/D1/CIF
Frame Rate	Main Stream	720P(1~25/30fps)
	Sub Stream	D1/CIF(1 ~ 25/30fps)
Bit Rate		H.264: 8Kbps~8192Kbps
Audio		
Compression		G.711a;G.711Mu;AAC
Interface		Built-in Mic & Speaker
Network		
Ethernet		RJ-45 (10/100Base-T)
Wi-Fi		Wi-Fi(IEEE802.11b/g/n) 50m(open field)
Protocol		IPv4/IPv6, HTTP, TCP/IP, UDP, UPnP, ICMP, IGMP, RTSP, RTP, SMTP, NTP,

IPPTD-EL1IRE-W

	IPPTD-EL1IRE-W
Compatibility	ONVIF CGI
Max. User Access	10 users
Smart Phone	iPhone, iPad, Android, Windows Phone
Auxiliary Interface	
Memory Slot	Micro SD, up to 64GB
RS485	N/A
Alarm	N/A
	N/A
General	
Power Supply	DC 5V2A
Power Consumption	<7.5W
Working Environment	-10°C~+45°C, Less than 95%RH
Ingress Protection	N/A
Vandal Resistance	N/A
Dimensions(W×D×H)	94mm x 94mm x 94mm
Weight	0.36Kg

Dimensions (mm)

