


30W PoE Injector (With Power adapter)

POE-1G



Overview:

POE-1G single-port Power over Ethernet equipment, the injector is suitable for indoor use, 100V- 240VAC input voltage. Connected the injector and the network terminal equipment with Cat5 cable. The device can be connected to Ethernet devices, such as routers, switches, wireless AP, telephone network, Industrial network terminals, network cameras and other POE powered applications consistent with IEEE802.3at standards. Meet the needs of remote place without power or through Ethernet cable to power supply. To increase reliability and simplify of system installation for equipment, and provide efficient engineering solutions.

Features :

- IEEE 802.3 at Power over Ethernet (PoE) standard
- IEEE802.3 af standard is compatible
- Supports 10/100/1000Mbps fast Ethernet
- Internal power supply
- Provides up to 30 watts for PoE
- Automatically detects the PoE class level of a Powered Device
- Full wire-speed non-blocking reception and transmission
- Plug and Play
- Easy installation and use , no need to convert by software and network protocol
- 1-year limited warranty

Technical Specification:

Input Voltage	100-240VAC
Output Voltage	48VDC
Network standards	IEEE802.3i 10 BASE-T, IEEE802.3i 100 BASE-TX, IEEE802.3x flow control IEEE802.3af /IEEE802.3at
PoE power	Max 30W Wiring: Power provided over pin 1236 Cable: UTP cat.5 or higher
Processing types	Store-and forward Half-duplex back pressure and IEEE802.3X full-duplex flow control
Data Rate	10/100/1000Mbps
Installation and Management	Plug and play installation Midspan automatically detect all devices support for PoE
Working Tem.	0°C-40°C
Storage Tem.	-10°C-70°C
Operating Humidity	20%-85%
LED indicator	Link,speed,PoE active, PoE error, Data Port green light not bright, just for decoration
Safety	CE/FCC/RoHs

Package:

30W PoE injector

48V 1.25A power adapter, power cord