

VDM-EL7INW

Elite IP 7 inch Video Door Bell WiFi Monitor

- 7 inch TFT Capacitive touch screen
- IPC surveillance
- Alarm integration
- Record & Snapshot(SD card needed)



Resolution:	1024x600
Drive Capacity:	SATA
Ethernet Ports:	1
Audio Inputs:	All-direction Microphone
Audio Outputs:	Built-in Loudspeaker
Alarm Inputs:	6
Alarm Outputs:	1
Internal DVD Burner Support:	No
Smart Phone Access/Push Notification:	Yes
Power:	DC 12V, PoE (802.3af)
Working Temperature:	14°F~131°F, 10%~90%RH
Dimensions:	8.47in x 5.51in x .83in



VDM-EL7INW

Elite IP 7inch WiFi Video Door Bell Monitor

Technical Specificatio	
Model	VDM-EL7INW
System	
Main Processor	Embedded Micro Processor
Operation System	Embedded LINUX OS
Video	
Video Compression	H.264
Audio	
Audio Compression	G.711
Audio Input	All-direction Microphone
Audio Output	Built-in Loudspeaker
Bidirectional Talk	Support Dual-way Bidirectional talk
Display	
LCD Screen	7" 1024x600, Capacitive
Operation Mode	
Input	Touch buttons
Interface	
Alarm In	6
Alarm Out	1
RS485	1
Network	
Wi-Fi	IEEE802.11b/g
Ethernet	10M/100Mbps Self-adaptive
Network Protocol	TCP/IP
General	
Memory Slot	Micro SD, Max 32GB (8GB Included)


Installation	Surface
Power	DC 12V, PoE (802.3af)
Power Consumption	Standby ≤1W, Work ≤7W
Working Temperature	-10°C~+55°C
Relative Humidity	10%~90%RH
Dimensions	215.0mm×140.0mm×21.0mm
Weight	0.8Kg

Elite IP 7in WiFi Video Door Bell Monitor

Dimensions



View Area



Application

